



Basic



<u>Rome</u>	<u>2</u>	<u>York</u>	<u>13</u>
<u>Paris</u>	<u>3</u>	<u>Victoria</u>	<u>14</u>
<u>Colette</u>	<u>4</u>	<u>Lisa</u>	<u>15</u>
<u>Amelie</u>	<u>5</u>	<u>Tokio</u>	<u>16</u>
<u>Viola</u>	<u>6</u>	<u>Code</u>	<u>17</u>
<u>Vera</u>	<u>7</u>	<u>Giulia</u>	<u>18</u>
<u>Florida</u>	<u>7</u>	<u>Backy</u>	<u>19</u>
<u>Vip</u>	<u>8</u>	<u>Like</u>	<u>20</u>
<u>Betty</u>	<u>9</u>	<u>Mustung</u>	<u>21</u>
<u>Bless</u>	<u>9</u>	<u>Madison</u>	<u>22</u>
<u>Live</u>	<u>10</u>	<u>Marion</u>	<u>22</u>
<u>Vittoria</u>	<u>10</u>	<u>Must P</u>	<u>23</u>
<u>Fede 8R</u>	<u>11</u>	<u>Must</u>	<u>23</u>
<u>Jessica</u>	<u>11</u>	<u>Jolie</u>	<u>24</u>
<u>Pop Up</u>	<u>12</u>	<u>Materials</u>	<u>25</u>

Dimensions can be modify without any notice
Quality tested by



CATAS MEMBER



Rome**

Armchair



Kg 16 - 1 x box
vol. 0,34 m³



Paris**

Armchair



Kg 16 - 1 x box
vol. 0,34 m³



Colette**

Armchair



Kg 16 - 1 x box
vol. 0,34 m³



Amelie**

Armchair






Kg 16 - 1 x box
vol. 0,34 m³



Viola*

Chair








 Kg 16 - 2 x box
 vol. 0,34 m³

48 53 101,5 50



Vera*

Chair





 Kg 16 - 2 x box
 vol. 0,34 m³

48 53 101,5 50



Florida**

Stool





 Kg 14 - 2 x box
 vol. 0,60 m³

46 41 109 74



Vip**
Armchair

61 53 96 45 65

Kg 16 - 1 x box
vol. 0,50 m³



Betty**
Chair

48 53 90 50

Kg 8,9 - 2 x box
vol. 0,30 m³



Bless**
Chair

48 53 101,5 50

Kg 16 - 2 x box
vol. 0,34 m³



Live**

Chair

48 53 90 50 Kg 8,9 - 2 x box
vol. 0,30 m³



Vittoria*

Chair

48 53 101,5 50 Kg 16 - 2 x box
vol. 0,34 m³



Fede 8R*

Chair

48 53 101,5 50 Kg 16 - 2 x box
vol. 0,34 m³



Jessica*

Chair

48 53 101,5 50 Kg 16 - 2 x box
vol. 0,34 m³



Pop Up**

Chair



Kg 8,9 – 2 x box
vol. 0,30 m³



York*

Chair



Kg 10 – 2 x box
vol. 0,30 m³



Victoria**

Chair





 Kg 8,9 - 2 x box
 vol. 0,30 m³

51 48 83 47



Lisa**

Chair





 Kg 8,9 - 2 x box
 vol. 0,30 m³

43 50 83 46



Tokio**

Chair





 Kg 9 - 2 x box
 vol. 0,30 m³



Tokio**

Stool





 Kg 16 - 2 x box
 vol. 0,60 m³



Code**

Chair





 Kg 8,9 - 2 x box
 vol. 0,30 m³



Code**

Stool





 Kg 16 - 2 x box
 vol. 0,60 m³



Giulia**

Chair



Kg 9 - 2 x box
vol. 0,40 m³

Backy**

Chair



Kg 10 - 2 x box
vol. 0,30 m³

Backy**

Stool



Kg 12 - 2 x box
vol. 0,45 m³



Like**
Chair

 44
  40
  93
  47
 

Kg 10 - 2 x box
vol. 0,34 m³



Mustung**
Chair

 47
  42
  92
  45

Kg 10 - 2 x box
vol. 0,30 m³



Mustung**
Stool

 41
  37
  104
  73

Kg 12 - 2 x box
vol. 0,60 m³



Madison**

Chair



47 42 92 45

Kg 10 - 2 x box
vol. 0,30 m³



Marion**

Chair



47 42 92 45

Kg 10 - 2 x box
vol. 0,30 m³



Must P**

Armchair



58 38 90 47

Kg 12 - 1 x box
vol. 0,45 m³

Must**

Chair



48 53 89,5 47

Kg 10 - 2 x box
vol. 0,30 m³



Jolie**
Chair





 Kg 16 - 2 x box
vol. 0,50 m³

Jolie**
Stool






 Kg 16 - 2 x box
vol. 0,60 m³

Wood Finishes




Flirt Fabric



composition	100% PL
width	140 cm
weight	330 g/m ² (+/- 4%)
color fastness to artificial light ISO 105 B02	3/4
color fastness to rubbing ISO 105 X12	dry: 4/5 - wet: 4/5
pilling resistance ISO 12945-2	4/5
abrasion resistance ISO 12947-2	> 30.000 rubs
tensile resistance ISO 13934-2	warp: N 1000 - weave: N 1300
seam slippage < 6 mm ISO 13936-1	warp: N 200 - weave: N 200
color fastness to wash 40° C ISO 105 C06	4/5 color change

Italian Bang Artificial Leather




composition	2% PU – 68% PVC – 30% CO
width	140 m
thickness	1,0 mm (+/- 5%)
weight	640 g/m ² (+/- 10%)
load at break ISO 1421	length > 600 N – height > 400 N
elongation at break ISO 1421	length > 15 % – height > 65%
tear strenght UNI 4818	length > 45 N – height > 40 N
adhesion to the substrate UNI 4818-10	length > 45 N – height > 40 N
color fastness to artificial light ISO 105 B02 (xeno)	6
color fastness to rubbing ISO 105 X12 (crock meter)	dry: 4/5 – wet: 4/5 – alcol: 4/5
soundness of sea water colors ISO 105 E02	4
color fastness to chlorinated water ISO 105 E02	4
abrasion resistance EN ISO 5470-2 (martindale)	> 100.000 rubs
treatment	anti-mite and anti-mold
free from	formaldehyde and other VOCs substances
cleaning	clean with mild soap and lukewarm water, do not use oxidizing or optical brighteners
FIRE RESISTANT	
Italia	UNI 9175 Class 1IM
Inghilterra	BS 5852 IS 0-1
navale	FTP Code 307 (88): 10 Annex 1 Parte 8
Europa	EN 1021 1-2
U.S.A.	California TB 117:2013

Cat. 3 Artificial Leather




composition	82% polyvinyl chloride – 18% polyester
width	140 m
weight	430 g/m ² ± 50
thickness	0,95 mm ± 1%
colour fastness to rubbing ISO 105 x12 (crock meter)	dry: 4/5 – wet: 4
seam slippage EN ISO 13936-2	1,9 mm
pilling resistance ISO 12945-2	3/4
abrasion resistance UNI ISO 12947-2 (martindale)	≥ 22.000 rubs (end point)
cleaning	Clean with mild soap and lukewarm water, do not use oxidizing or optical brighteners
please note	shrink: -2%

Mojito Fabric



composition	100% PL
width	140 cm
weight	420 g/m ² (+/- 4%)
abrasion resistance ISO 12947-2	end point > 30.000 cycles
pilling resistance ISO 12945-2	4/5
seam slippage mm ISO 13936-2	warp: 1 – weft: 1
color fastness to rubbing ISO 105 X12	dry: 5 – wet: 4

Selfie Fabric



composition	100% PL
width	140 cm
weight	525 g/m ² (+/- 4%)
abrasion resistance ISO 12947-2	end point > 65.000 cycles
pilling resistance ISO 12945-2	5
seam slippage mm ISO 13936-2	warp: 3 - weft: 3
color fastness to artificial light ISO 105 B02	colour change 4/5
color fastness to rubbing ISO 105 X12	dry: 5 - wet: 4/5

Glides



Plastic glides



Plastic glides with felts

Grisù Fabric



composition	68% PL - 32% PP
width	140 cm
weight	400 g/m ² (+/-)
abrasion resistance ISO 12947-2	end point - 135.000 cycles
pilling resistance ISO 12945-2	4/5
seam slippage mm ISO 13936-2	warp: 3 - weft: 3
color fastness to artificial light ISO 105 B02	> 6
color fastness to rubbing ISO 105 X12	dry: 4/5 - wet: 4/5

Nord Wool Wool



composition	70% W - 10% PA - 15% PL - 5% AF
width	150 cm
weight	345 g/m ² (+/-)
abrasion resistance ISO 12947-2	end point > 100.000 cycles
pilling resistance ISO 12945-2	3/4
seam slippage mm ISO 13936-2	warp: 4 - weft: 4
color fastness to artificial light ISO 105 B02	4/5
color fastness to rubbing ISO 105 X12	dry: 4 - wet: 4

SF Collection snc

Via Masarotte 1
33048 San Giovanni al Natisone
Udine-Italy

Tax number/V.A.T. number 00160540308
Entered in the register of companies as no. 12526

tel +39 0432 756 237
fax +39 0432 746 780

info@sfcollection.it
www.sfcollection.it

 Sf-Collection-1970-Italy

